Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	588	"73"/\$.ccls. and (piezoelectric near5 ceramic) and (bond\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 18:42
L3	198	"73"/\$.ccls. and (piezoelectric near5 ceramic) and (bond\$5) and ((force or pressure) near5 (sensor or detector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 18:51
L5	2	bonding.clm. and tool.clm. and force.clm. and sensor.clm. and alignment.clm. and signal.clm.	US-PGPUB; USPAT	OR	ON	2007/03/18 20:26
S94	1357	((pressure or force) near3 (sensor or detector)) and (ceramic near4 piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 21:47
S95	0	(load near2 cell) and (die near2 bonder) and (collet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S96	79	(load near2 cell) and (ceramic near2 piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:36
S97	1753	(sensor) and (pressure or force) and (piezoelectric) and ceramic and polyimide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 16:17
S98	229	(702/42).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21

S99	96	(702/44).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR .	OFF	2007/03/17 20:21
S10 0	134	(702/97).CCLS.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21
S10 1	400	(702/41).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21
S10 4	2	(pressure with (sensor or detector)) and (die near2 bonder) and (piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S10 5	1	("6179938").PN.	USPAT	OR	OFF	2007/03/17 20:21
S10 6	2	(pressure near3 (sensor or detector)) and (die near2 bonder) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S10 7	1	("6758113").PN.	USPAT	OR	OFF	2007/03/17 22:45
S10 8	4	("6179938").URPN.	USPAT	OR	ON	2007/03/17 20:21

S10 9	71	("3337941"   "4080009"   "4144449"   "4253788"   "4298772"   "4346293"   "4351264"   "4378134"   "4383359"   "4584047"   "4610083"   "4615093"   "4730945"   "4810154"   "4819326"   "4863149"   "4868007"   "4915770"   "4934891"   "4937511"   "5023544"   "5024720"   "5086559"   "5150423"   "5157617"   "5157734"   "5191693"   "5195234"   "5213653"   "5248362"   "5249239"   "5275657"   "5278634"   "5289625"   "5309223"   "5311304"   "5342460"   "5380099"   "5400497"   "5415693"   "5475919"   "5488771"   "5499756"   "5515600"   "5547537"   "5553376"   "5559727"   "5562384"   "55664188"   "5592562"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/17 20:21
		"5650081"   "5669970"   "5694443"   "5708419"   "5713125"   "5715594"   "5735040"   "5788379"   "5794330"   "5813304"   "5838754"   "5885052"   "5901892"   "5938890"   "5941674"   "5975395"   "5976306"   "Re34615").PN.				
S11 0	2	(force near3 (sensor or detector)) and (die near2 bonder) and (alignment or aligning or aligner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S11 1	5	("6621157").URPN.	USPAT	OR	ON	2007/03/17 20:21
S11 2	12	("3716134"   "5658831"   "5659952"   "5679977"   "5719443"   "5920977"   "6048420"   "6071371"   "6137183"   "6171049"   "6200504"   "6248959").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/17 20:21
S11 3		(force near3 (sensor or detector)) and (die near2 bonder) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21

S11 4	4	(pressure near3 (sensor or detector)) and (die near2 bonder) and (collet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S11 5	8	(pressure near3 (sensor or detector)) and (die near2 bonder) and (alignment or aligning or aligner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
\$11 6	33	((pressure or force) near3 (sensor or detector)) and (die near2 bonder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S11 7	71	((pressure or force) near3 (sensor or detector)) same (ceramic near4 piezoelectric) and (bond or bonding or bonder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S11 8	6	(load near2 cell) and (die near2 bonder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 16:16
S11 9	4	(load near2 cell) and (chip near2 bonder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S12 0	43	(load near2 cell) and (die near2 bonding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S12 1	95 ·	(load near2 cell) and (ceramic near5 piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21

			<del></del>	T	I _	
S12 2	43	(load near3 cell) and (pressure or force) and (piezoelectric) and ceramic and polyimide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S12 3	134	"73"/\$.ccls. and (pressure or force) and (piezoelectric) and ceramic and polyimide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S12 4	77	73/862.\$.ccls. and (piezoelectric near5 ceramic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 18:42
S12 5	5	(S98 or S99 or S100 or S101) and (piezoelectric) and ceramic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S12 6		(force near3 (sensor or detector)) and (die near2 bonder) and (piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S12 7	110	(73/862.07).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21
S12 8	286	(156/360).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 21:23
S12 9	251	(156/379).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21

S13 0	234	(73/1.15).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21
S13 1	400	(702/41).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/03/17 20:21
S13 2	448	(156/358).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21
S13 3	483	(156/351).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21
S13 4	419	(73/862.381).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/17 20:21
S13 5	846	(156/378).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/17 20:21
S13 6	1	(force near3 (sensor or detector)) and (die near2 bonder) and (collet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S13 7	111	(load near2 cell) and (chip near2 bonding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21

				,		
S13 9	10	(load near2 cell) with (chip near2 bonding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S14 0	3	(load near2 cell) with (die near2 bonding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S14 1	13	(load near2 cell) and (die near2 bonding) and alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S14 2	50	(load near2 cell) and (bond or bonding or bonder) and (parallelism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S14 3	1737	(load near2 cell) and (bond or bonding or bonder) and (alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
514 4	40	alignment with (load near2 cell) and (bond or bonding or bonder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 20:21
S14 5	175	((pressure or force) near3 (sensor or detector)) with (ceramic near4 piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 20:25
S14 7	229	(702/42).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/18 13:36

S14 8	96	(702/44).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/18 13:37
S14 9	134	(702/97).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/18 13:37
S15 0	400	(702/41).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/18 13:37
S15 2	1	(S147 or S148 or S149 or S150) and (piezoelectric) and ceramic and polyimide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 13:37
S15 3	26	(S147 or S148 or S149 or S150) and (piezoelectric) and force with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 13:38
S15 4	26	(load near2 cell) and (chip near2 bonding) and alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 15:08
S15 5	62	(force with sensor) and (compress\$6 with force) and (bond\$4) and (alignment with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/18 15:09
S15 6	8570	(sensor.clm. or detector.clm.) and (pressure.clm. or force.clm.) and (piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 16:17

S15 7	5411	(sensor.clm. or detector.clm.) with (pressure.clm. or force.clm.) and (piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 16:17
S15 8	5411	((sensor.clm. or detector.clm.) with (pressure.clm. or force.clm.)) and (piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 16:18
S15 9	1452	((sensor.clm. or detector.clm.) with (pressure.clm. or force.clm.)) and (piezoelectric) and (bond\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 16:18
S16 0	223	((sensor.clm. or detector.clm.) with (pressure.clm. or force.clm.)) and (piezoelectric with ceramic) and (bond\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 16:18
S16 1	127	((sensor.clm. or detector.clm.) with (pressure.clm. or force.clm.)) and (piezoelectric with ceramic) and (bond\$4 and compress\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/18 16:18